

INSTRUMENT APPROACH CHART - ICAO PLAN VIEW SCALE: 1:500 000


SANDEFJORD

TORP


ILS or LOC RWY 36

TRANSITION ALTITUDE
7000

ATIS: 119.075	AD ELEV: 285
APP FARRIS: 134.050 124.350	THR ELEV: 254
TWR: 118.650	HGT RELATED TO THR RWY 36
GND: 126.175	ELEV, ALT AND HGT IN FT
CIRCLING HGT RELATED TO AD ELEV	
BEARINGS ARE MAGNETIC - VAR 2.5 ° E (2015)	



DIST TO SFJ	9	8	7	6	5	4	3	2
ALT (HGT)	-	2810 (2556)	2490 (2236)	2170 (1916)	1850 (1596)	1540 (1286)	1220 (966)	900 (646)



DME (SFJ)	0	0.5	4.0	8.6	13.3
THR	0	0.3	3.8	8.4	13.2

CAT OF ACFT	A	B	C	D	FINAL APCH	DIST FAF - MAPt: 8.1					
	498 (244)	510 (256)	518 (264)	528 (274)		SPEED	KT	70	90	120	150
OCA(H) STRAIGHT - IN	670 (416)				TIME	MIN:SEC	06:57	05:25	04:04	03:15	02:43
CIRCLING	840 (555)	880 (595)	980 (695)	1000 (715)	ROD	FT/MIN	375	480	640	800	960

NOTE: -

CHANGES: EDITORIALS